

Outline

- Overfitting and Tree Pruning
- Continuous attributes
- Alternative attribute selection measures
- Missing attribute values
- Attribute costs

1

Avoiding Overfitting

How can we avoid overfitting?

- stop growing when data split not statistically significant
- grow full tree, then post-prune

How to select “best” tree:

- Measure performance over training data
- Measure performance over separate validation data set
- MDL: minimize $size(tree) + size(misclassifications(tree))$

2

Uses of Limited Data

- *Training set*: learn the tree
- *Validation set*: prune the tree
- *Test set*: estimate future classification accuracy

Best if they're independent

If limited data, maybe best to overlap ...

3

Reduced-Error Pruning

Split data into *training* and *validation* set


Do until further pruning is harmful:

1. Evaluate impact on *validation* set of pruning each possible node (plus those below it)
2. Greedily remove the one that most improves *validation* set accuracy

- produces smallest version of most accurate subtree
- What if data is limited?

4

Effect of Reduced-Error Pruning



5


Rule Post-Pruning

1. Convert tree to equivalent set of rules
2. Prune each rule independently of others
3. Sort final rules into desired sequence for use

Perhaps most frequently used method (e.g., C4.5)

6

Converting A Tree to Rules



IF $(Outlook = Sunny) \wedge (Humidity = High)$
THEN $PlayTennis = No$

IF $(Outlook = Sunny) \wedge (Humidity = Normal)$
THEN $PlayTennis = Yes$

...

7

Continuous Valued Attributes

Create a discrete attribute to test continuous

- $Temperature = 82.5$
- $(Temperature > 72.3) = t, f$

Temperature:	40	48	60	72	80	90
PlayTennis:	No	No	Yes	Yes	Yes	No

8

Attributes with Many Values

Problem:

- If attribute has many values, $Gain$ will select it
- Imagine using $Date = Jun_3_1996$ as attribute

One approach: use $GainRatio$ instead

$$GainRatio(S, A) \equiv \frac{Gain(S, A)}{SplitInformation(S, A)}$$

$$SplitInformation(S, A) \equiv - \sum_{i=1}^c \frac{|S_i|}{|S|} \log_2 \frac{|S_i|}{|S|}$$

where S_i is subset of S for which A has value v_i

9

Attributes with Costs

Consider

- medical diagnosis, $BloodTest$ has cost \$150
- robotics, $Width_from_1ft$ has cost 23 sec.

How to learn a consistent tree with minimum expected cost?

One approach: replace gain by

- Tan and Schlimmer (1990)

$$\frac{Gain^2(S, A)}{Cost(A)}$$

- Nunez (1988)

$$\frac{2^{Gain(S, A)} - 1}{(Cost(A) + 1)^w}$$

where $w \in [0, 1]$ determines importance of cost

10

Unknown Attribute Values

What if some examples missing values of A ?

Use training example anyway, sort through tree

- If node n tests A , assign most common value of A among other examples sorted to node n
- assign most common value of A among other examples with same target value
- assign probability p_i to each possible value v_i of A
 - assign fraction p_i of example to each descendant in tree

Classify new examples in same fashion

11